
## MODERN STEEL\* garage doors




America's Favorite Garage Doors®



# MODERN STEEL™ garage doors

Modern Steel™ garage doors complement contemporary and mid-century modern home styles. Doors are available with or without windows and with or without grooves in the panels. All are available in multiple paint, Ultra-Grain® and Lustra™ finishes to create the perfect look for your home.





**AVAILABLE WITH** 





WARMER

Energy efficiency provides year-round comfort



QUIETER


Dense insulation reduces noise by up to 16 decibels



STRONGER

Enhanced strength resists everyday wear and tear

## MODEL AVAILABILITY



																	1		
DOOR	DF	-SI	GN	VS.					3-LAYER							2-LAYER		1-LAYER	
Door design examples shown at 9' wide × 8' high Available window options listed below model number (See back cover for examples of window options)							2" Polyurethane		1-3/8" Polyurethane		P	2" Bonded Polystyrene		1-3/8" Bonded Polystyrene		1-5/16" Polystyrene		Non-Insulated	
(					TEXTURE		18.4 R-value		12.9 R-value		9.	9.0 R-value		6.5 R-value		6.3 R-value			
MOD	ERN	FLU	SH																
	11			- 8	1535														
							920	12	9	132		4302		41	32				
Solid	Wind	dow Sed	ctions		Woodgra	in	Contemp Windo			mporary ndows	C	ontempora Windows	ry	Conten Wind	nporary dows				
MODERN FLUSH					woodgraiii							constructed using 21				oighte			
	- 5							T CONSI	ructea us	IIIY 21									
							920	)1	9	131		4301		40	51		I <b>2F</b> ige Steel)		40F 4F
							Contemp	orary		mporary ecorative	C	ontempora nd Decorati	ry	Doco	rative	Door	orative		<i>uge Steel)</i> orative
Solid	Wind	dow Sec	ctions		Woodgra	in	Windo			idows	ai	Windows	VC		dows		dows		ndows
MODERN FLUSH					3											n heights			
			T	- 1 ₿			920	18	Q.	138		4308		41	38				
							020	.0	J	100		1000		• • • • • • • • • • • • • • • • • • • •	00				
			-	- 3			Contemp and S		Conte	mporary	C	ontempora and Slim	ry	Conten	nnorary				
Solid	Contem	porary \	Windo	WS	Stucco	*†	Windo		Wir	idows		Windows		Wind	dows				
MODERN GROOVED														21" and 1	8" section	heights			
						33		_											
							920	15				4305							
							Contemp	orary			С	ontempora	ry						
Solid	Wind	dow Sec	ctions		Stucco	*	Windo	IWS				Windows							
MODE	D								onstructed using 24				eights						
							9209		9139			4309							
						Contemporary				0	Contemporary								
Oalid Oastanaan Windows					and Slim		Contemporary		C	and Slim									
Solid Contemporary Windows			WS	Stucco*†		Windo	Windows		Windows		Windows								
COLOR	Ctondo						Macha	Hunton					1	Ultra-Grain®	Ultra-Grain	<sup>®</sup> Ultra-Grain <sup>©</sup>	Ultra-Grain®	Ultra-Grain	© Ultra-Grain®
	Standard White	Almond	Desert Tan	Sandtone	Bronze C	hocola	te Brown	Hunter Green Gr	ay Charco	al Black	Lustra™ Black	Lustra™ Charcoal	Lustra™ Silver	Cypress Medium	Cypress Cherry	Cypress Walnut	Cypress Slate	Plank Kona	Plank Coastal Gray
9202, 9205		•	•		•	•	-			•				•	•	•	•		
9208	•	•	•	•	•	٠	•			•	•	•	•	•	•	•	•	•	•
9209	•	-	•			•	•	_ :		•	•	•	•		•	•	•		
9201 9132, 9138,	•	•	•	-	•	•				•									
9139	•	-	•	•	•	•	•	•	•	•				•	•	•	•		
9131	•	•	•	•	•	•	•		•	•									
4302, 4305, 4308, 4309	•	•	•	•	•	•	-			•				•	•	•	•		
4301	•	•	•	•	•	٠	-			•									
4132	•	•	•	•	•	•	-			•				•	•	-	•		
4051	•	•	•	•	•	•													
4138 T42F, T40F				•	•		•		•	•				•	•	•	•		
142F, 140F 4F				•		•													

Calculated door section R-value is in accordance with DASMA TDS-163. For more information about color options see page 4. \*Exterior steel surface on Ultra-Grain® Cypress finish doors has a woodgrain texture on Modern Steel™ garage doors. †Exterior steel surface on a Lustra™ finish door has a smooth texture on Modern Steel™ garage doors.

### STANDARD COLORS



- Exterior steel on standard color doors will have either a stucco or woodgrain texture depending upon model chosen (see chart on page 3 for details).
- Doors can be painted to match the home's exterior using a high-quality latex exterior paint. Do not use oil-based paint.
  - \*Additional charges apply.
  - Due to the printing process, colors may vary. See your Clopay Dealer for color samples. Not all colors available on all models. See previous page for complete color availability.

### **ULTRA-GRAIN® FINISH**









Cypress Cypress Cypress Medium Finish Cherry Finish Walnut Finish

Cypress Cypress
Walnut Finish Slate Finish

- Painted steel surface simulates a stained door without the need of staining and the ongoing maintenance of wood.
- Woodgrain runs horizontal for an authentic, natural look.
- Available in Cypress Medium, Cherry, Walnut or Slate finishes that complement Clopay Entry Doors, shutters and other exterior stained wood products.
- Exterior steel surface on all Modern Steel<sup>™</sup> Ultra-Grain<sup>®</sup> finish doors have a woodgrain texture to create a more natural appearance.
- Window frames, grilles and inserts are a solid color to coordinate with Ultra-Grain<sup>®</sup> finishes.

Due to the printing process, colors may vary.

Not all colors available on all models. See previous page for complete color availability.

Additional charges apply.

### CUSTOM PAINT OPTION



Color Blast<sup>®</sup> finish offers more than 1,500 Sherwin-Williams<sup>®</sup> color options to complement your home. This durable two-part paint system has been thoroughly tested and is backed by a five-year warranty.

### LUSTRA™ FINISH







Black

Charcoal

Silver

Lustra™ finished garage doors feature a Black or Charcoal matte look, while Silver has a brushed metallic look.

Door exterior has a smooth textured steel surface.

- These modern doors feature thick 24 gauge surface steel.
- Lustra<sup>™</sup> doors were designed to be paired with narrow modern windows for a truly modern look.
- Lustra<sup>™</sup> finished doors cannot be painted.

Due to the printing process, colors may vary.

Not all colors available on all models. See previous page for complete color availability.

Additional charges apply.

### ULTRA-GRAIN® PLANK





Kona Finish

Coastal Gray Finish

- Available in Kona or Coastal Gray finishes that complement mid-century, farmhouse, coastal cottage and transitional home styles.
- Exterior steel surface has a wood-look plank design that runs horizontal, with clear and simple lines.
- Optional windows available in color matched frames or as a standout in Silver and Black accent colors.

Due to the printing process, colors may vary.

Not all colors available on all models. See previous page for complete color availability.

Additional charges apply.



### ADDITIONAL FEATURES

- Tongue-and-groove section joints help seal out wind, rain and snow.
- Replaceable vinyl bottom weatherseal in a corrosion-resistant retainer helps seal out the elements.
- Clopay's Safe-T-Bracket® helps prevent serious injury that could occur if the bottom bracket were removed with the garage door closed and under tension.
- Color-matched exterior step plate/lift handles are durable and allow for safe opening and closing of your door.
- 2" thick polystyrene doors and all Intellicore® insulation doors comply with 2015 IECC air infiltration requirement of 0.40 cfm/ft² or less (IECC, Section C402.5.2).
- See your Clopay Dealer for WINDCODE® door availability.
  For additional information about how to care for and maintain your door,
  visit: <a href="https://www.clopaydoor.com/residential/support">www.clopaydoor.com/residential/support</a>

### HFAVY-DUTY HARDWARF



2" thick polystyrene doors and all Intellicore® insulation doors come standard with 10-ball nylon rollers and heavy-duty 14 gauge steel hinges.

### **WARRANTIES**







### **RUST-PREVENTION SYSTEM**



Steel skins are protected through a tough, layered coating system, including a hot-dipped galvanized layer, a protective metal oxide pretreatment and a baked-on primer and top coat.

### GREATER ENERGY EFFICIENCY




Thermal break\* separates the interior from the exterior skin to improve energy efficiency and comfort.

\*Thermal break is not present on 4051, 2-layer and 1-layer models.

### ENVIRONMENTAL ASSURANCE

Clopay doors are compliant with environmental laws and regulations. Clopay doors do not contain HFCs. All Clopay doors are compliant with:


- California SB 1013
- New Jersey A-5583/S-3919 Greenhouse Gas Bill
- Washington HB 1112 Hydrofluorocarbon Greenhouse Gas Emissions
- Canadian regulations amending the ozone-depleting substances and halocarbon alternatives regulations



### CONTEMPORARY WINDOW ORIENTATION

When ordering contemporary window configurations please reference the examples provided to describe your desired window positions. **Note: Window configurations are described from inside the garage looking out.** 

Example: Windows down right side (from inside garage looking out)



View from Inside Garage



View from Outside Garage

### POPULAR CONTEMPORARY WINDOW CONFIGURATIONS

The windows shown below apply to Models 9208, 9209, 9138, 9139, 4308, 4309 and 4138. These doors utilize 24" and 21" section heights, allowing for the window options shown.

Contemporary window configurations are available in many design options and include short, long or slim windows in each section, down one side or in all sections. For doors with multiple window sections, the window locations must be the same in every section.

The images below are illustrated from outside the garage. Important Note: The ordering codes listed below are from the inside of the garage looking out, as explained on the previous page. See your Clopay dealer for more details.

The illustrations shown below show window (glazed) and/or no window (solid) locations.

SOL=Solid (no window) location GL=Glazed (window) location

Sections are numbered from the floor up to the top of the door.

For doors with glazing (windows) in the sections, all glass will be tempered.

Glazing options include:





Obscure





Narrow Reed

Frosted


Other glass types and custom glass are available. Slim window designs available only with insulated clear tempered and insulated frosted tempered glazing options.

See your Clopay Dealer for details.

### SHORT WINDOW **CONFIGURATIONS** (Viewed from outside)



SOL-SOL-SOL-GL Sections: 1, 2, 3, 4




SOL-SOL-SOL-SOL-SOL-GL-GL Sections: 1, 2, 3, 4



SOL-GL Sections: 1, 2, 3, 4



SOL-SOL-SOL-GL



Sections: 1, 2, 3, 4




SLIM WINDOW

**CONFIGURATIONS** 

(Viewed from outside)


SOL-GL Sections: 1, 2, 3, 4



SOL-SOL-SOL-GL Sections: 1, 2, 3, 4



GL-SOL-SOL-SOL Sections: 1, 2, 3, 4



GL-GL-SOL-SOL-SOL-SOL-SOL Sections: 1, 2, 3, 4



LONG WINDOW

**CONFIGURATIONS** 

(Viewed from outside)


GL-SOL Sections: 1, 2, 3, 4



GL-SOL-SOL-SOL Sections: 1, 2, 3, 4



GL-SOL Sections: 1, 2, 3, 4



GL-SOL-SOL-SOL Sections: 1, 2, 3, 4



GL-SOL-SOL-GL Sections: 3, 4



GL-GL-SOL-SOL-SOL-GL-GL Sections: 3, 4



GL-GL Sections: 3, 4



GL-GL-GL-GL Sections: 3, 4




GL-GL



GL-GL-GL-GL Sections: 3, 4



GL-GL-GL-GL Sections: 1, 2, 3, 4



GL-GL-GL-GL-GL-GL Sections: 1, 2, 3, 4




Sections: 1, 2, 3, 4



Sections: 1, 2, 3, 4



Sections: 1, 2, 3, 4




GL-GL-GL-GL Sections: 1, 2, 3, 4

### WINDOW OPTIONS

Our windows add natural light to your garage while adding curb appeal to your home. All Clopay window frames are UV-protected and are color matched to our prefinished door colors. Window frames screw in from the inside for easy glass replacement or to change designs.

### CONTEMPORARY/ARCHITECTURAL SERIES WINDOWS -

These windows are from Clopay's Contemporary/Architectural Series, featuring a larger viewing area and are available on select models and heights. Short windows are 19-1/2"  $\times$  16" and long windows are 42"  $\times$  16".



### CONTEMPORARY SLIM WINDOWS

Contemporary Slim windows are designed to further enhance the clean aesthetic common to modern architecture. Contemporary Slim windows are 37" × 8" with aluminum frames available in powder coated silver or black.




Windows are available insulated in both clear and frosted tempered glass.



### **DECORATIVE INSERT SERIES WINDOWS -**

UV-protected cellular plastic insert designs snap into either the inside or outside of the window frame for easy cleaning or to change designs. Windows are offered in single strength, double strength, acrylic, obscure or insulated glass. Short windows are 19-1/2" × 12" and long windows are 40-1/2" × 12".




† Shown with clear glass.

‡Sunset windows not available on Ultra-Grain® finish doors.

Additional charges for optional glass apply.

Acrylic windows require special cleaning. Never use products that contain ammonia or petroleum products to clean acrylic. Please visit <a href="www.clopaydoor.com/acrylic">www.clopaydoor.com/acrylic</a> for complete details.

Windows are available single pane or insulated in clear, frosted, obscure and rain designs. Clear acrylic also available.





Visit clopaydoor.com or call 1-800-2CLOPAY (225-6729) for more information on Clopay, America's Favorite Garage Doors.

Follow us on

















RSDR-MODERNSTEELSS-15 REV0224



